The materials and information provided via this brochure are distributed internationally, but not all the products or services found on this brochure are necessarily available in your country or area. Please contact local office or agents to make sure of the availability of the relevant products or services.

Mindray Medical Netherlands B.V.

Drs.W.van Royenstraat 8, 3871 AN F Voice: (31-33) 254-4911 Fax: (31-33) 253-4280

Mindray Medical Italy S.r.l.

Via Leonardo DA Vinci. 158. 20090 Trezzano Sul Naviglio (MI). Italy Voice: (39-02) 5737-401 Fax: (39-02) 5523-2018

Mindray Medical España S.L. Avenida Manoteras 38, Edificio B, Bajo B008. 28050-Madrid Spain Voice: (34-91) 392-3754

Mindray Medical Germany GmbH

Fax: (49) 6251-17524-20

Mindray (UK) Limited

3 Percy Road, St Johns Park, Huntingdon, Cambs, PE29 6SZ United Kingdom Voice: (44) 1480-416-840 Fax: (44) 1480-436-588

Mindray Medical France SARL

Europarc Creteil 1 allée des cerisiers 94000 CRETEIL, France Voice: (33-1) 4513-9150 Fax: (33-1) 4513-9151

Mindray Medical Sweden AB

Rissneleden 136, 174 57 Sundbyberg, Sweden

Voice: (46) 8 555 54 121 Fax: (46) 8 555 54 101

Mindray Medical Rus Co.Ltd

2 Zvenigorodskaya Street, 13, bld 41, 123022 Moscow, Russia Voice: (7-499) 553-6036

Mindray Medical Colombia S.A.S

Room No.702, Torre UNIKA, Carrera 9 No.77-67, Bogota, Colombia Voice: (57-1) 3130892 / 3210916

Mindray do Brasil – Comércio e Distribuição de Equipam Médicos Ltda.

Rua Tavares Bastos, 329, Perdizes, São Paulo - SP, CEP 05012-020 Voice: (55-11) 3124-8026

Mindray Medical Mexico S. de R.L. de C.V.

Félix Parra # 175 Colonia. San José Juárez 03900 México, D. F. Voice: (52-55) 5661-9450 / (52-55) 5662-6620

PT Mindray Medical Indonesia

Fax: (55-11) 3078-8035

Fax: (52-55) 5662-6597

The East 11th Floor, Unit 08 Jl. Dr. Ide Anak Agung Gde Agung Kav E 3.2 No.1 Jakarta 12950 Voice: (6221) 2902-7280

Mindray Medical Egypt Ground Floor -11 El Imam Metwally El Sharawi Street, Sheraton Heliopolis - El Nozha, Cairo, Egypt Voice: (2) 02 22691047

Mindray Medical Australia

ADD: 19 Harker St, Burwood VIC 3125, Australia Voice: (61-3) 9830 6610 Fax: (61-2) 9550 2841

Mindray Medical Nigeria ADD: 1004 Estate, Victoria Island, Lagos, Nigeria

Voice: (+234) 7030682053

Mindray Medical India Pvt. Ltd. (Delhi Office)

16th floor Ruilding No. 9-R. DI E Cyber City. DI E Phase-3 Gurgaon- 122002, Haryana Voice: (91-124) 4632-488 Fax: (91-124) 4632499

Mindray Medical India Pvt. Ltd. (Mumbai office)

B-404. City Point. Andheri Kurla Road. Andheri Fast. Mumbai. 400 059, India Voice: (91-22) 4020-0000 Fax: (91-22) 4020-0011

Mindray Medikal Teknoloji Istanbul Ltd. Sti.

KÖYALTI MEVKİİ 29 EKİM CAD.N.1 KUYUMCUKENT 2.NO.PLZ.3.KT. D.1- 9 34520 BAHÇELİEVLER/YENİBOSNA, İSTANBUL, TÜRKİYE Voice: (90-212) 482 08 77 Fax: (90-212) 482 08 78

Mindray Medikal Teknoloji Istanbul Ltd. Sti. Branch Office Ankara TURAN GÜNES BULVARI ALEKSANDER DÜBCEK CAD. NO:18/A

ÇANKAYA/ANKARA, TÜRKİYE Voice: (90-312) 441 96 92 Fax: (90-312) 441 96 93

Mindray Medical Vietnam Co.,Ltd.

Unit 2, 4th Floor, "B" Building, Broadway Office Park, 102 Nguyen Luong Bang Blvd., Tan Phu Ward, Dist. 7, HCMC, Vietnam Voice: (84) 8 5413-6970

Mindray Medical Thailand Limited

1768 Thai summit Tower Room 407, 4th floor, New petchaburee Road, Kwaeng Bangkapi, Khet Huai Khwang, Bangkok 10320, Thailand



Shenzhen Shenke Medical Instrument Technical Development Co., Ltd.

Floor 2, 3, 4, Building 1, Section 1, Baiwangxin Hi-Tech Industrial Park, Songbai Road, Xili, Nanshan, Shenzhen 518108, P.R. China. E-mail: sk-medical@mindray.com Website: www.skmedica.com/en

mindray is a trademark of Shenzhen Mindray Bio-Medical Electronics Co.,Ltd.

© 2013 Shenzhen Mindray Bio-Medical Electronics Co., Ltd. All rights reserved. Specifications subject to changes without prior notice P/N:ENG-BeneFusion VP5/SP5-210x285x16P-20140808








BeneFusion VP5/VP5 Ex Infusion Pump BeneFusion SP5/SP5 Ex/SP5 TIVA Syringe Pump Experience every drop of care










High accuracy performance ensures precise delivery

- High flow rate accuracy is achieved: within ±2% for the syringe pump and ±3% for the infusion pump.
- Dedicated Mindray infusion sets be used delivering high accuracy over long periods.

Advanced SEMI-PRESS system

High accuracy is maintained by pressing the tube only halfway closed rather than completely closed, minimising infusion deviation caused by deformation of the tube(BeneFusion VP5 Series).



A1 opens, fluid flows into the tube when A2 is closed. A1 closes completely, fluid accumulates in the tube.

A2 opens, B1 presses the tube halfway. Fluid continues delivery as B2 presses the tube.


A2 closes completely.

B3 presses the tube and completes the fluid delivery cycle.



Fast start function

BeneFusion SP5 quickly overcomes the resistance of syringe, extension line and needle, supporting a timely injection even at a very low delivery rate. This function is especially useful during special clinical treatments, involving some pressor or paediatric drugs.



DPS -- Dynamic Pressure System

- Occlusion pressure is monitored in real time. Any change is accurately displayed both graphically and numerically, allowing the clinician to easily observe.
- Up to 11 levels of pressure settings to match clinical requirements. For earlier alarm notification during occlusion, the pressure can be set to the lowest setting to ensure patient safety.
- Four pressure uints (mmHg, kPa, bar,psi) can be conversed to meet different user habit.







Reliable alarms

- Three levels of alarm for all security alarms (H, M and L) ,8 levels of adjustable alarm volume providing nursing staff with more flexibility depending on the clinical demands.
- Alarm light is large and intuitive, clearly visible over long distance to maxmize patient safety;

Anti-Siphonage design


When a full syringe is loaded onto the pump, liquid might flow from the syringe even when the pump is on standby and the infusion has not been started. The anti-siphonage design automatically locks the lead screw, preventing unintentional circulation of liquids and avoiding any harm to the patient.





Anti free-flow

- Special clamp design on the pump ensures that the clamp grips the infusion tube automatically when the door is opened, avoiding large amounts of liquids harming the patient.(BeneFusion VP5 Series)
- Dedicated infusion set has a clip to clamp the line when the set is removed. The risk of an unclosed roller clamp is eliminated.





Anti-bolus function

If an occlusion alarm occurs, the motor rotates back some volume to reduce large volume hurting the patient significantly after occlusion sudden release.







Powerful battery

More than 10 hours (BeneFusion SP5 Series) and 9 hours (BeneFusion VP5 Series) of battery operating time with only 6 hours charging time;

6 levels of air bubble detection

- Sensitive ultrasound sensor detects air bubbles to a minimum size of 20ul(Array VP5), preventing air bubbles from entering the body causing blood coagulation.
- Six levels of bubble detection can be adjusted according to the actual needs of the clinical setting.

History function

Up to 2000 pieces of infusion information will be stored automatically, the latest records are listed on the top with specific date and time, helping care givers analyse patients clinical conditions and provide good treatment references.







Compact design


- Horizontal design allows the pump to be easily stacked and inserted into the Dock. The slim height saves much bedside space.
- Both the VP5 and SP5 have the same design, interface and menu structure. This means less training for users and a reduced risk of incorrect operation.





Up to 8 infusion modes

- Eight application modes: Rate, Time, Body
 Weight, Ramp up/Ramp down, Sequential,
 Micro-infusion, Loading Dose, and TIVA mode.
- Various programming modes provide flexible options for clinical applications in different departments.
- TIVA mode, BeneFusion SP5 Series setting makes an anesthesia infusion simple with precise delivery(manual and automatic bolus)







Start-reminder function

Pump remembers last infusion parameters. Repeat settings are not required when pump is turned on again, saving operators much time and workload.

Titration function

Titration makes it possible to change flow rate during operation without stopping the pump, guaranteeing continuous infusion.

Syringes recognition

BeneFusion SP5 Series pump can recognise various syringe brands and sizes from 5ml up to 60ml automatically.



Intuitive display

- 3.5" large colour display allows infusion status to be viewed easily without having to enter various menu layers.
- All important parameters can be viewed from over 5 meters away, making hospital monitoring efficient and convenient.
- User selectable eight levels of screen brightness, providing optimum view.



Ease of use



Simple, quick operation,


easy to use

BeneFusion VP5 Series infusion line

This kind of IV set is perfectly matched to the pump and its intergrated safety system.

As a result, the outstanding perfomance characteristics of the pump ensure high delivery accuracy and consistency, most importantly, the great accuracy over long time.

| Benefits | | | | |
|--------------|-----------|---------------|----------------------|-------------|
| Longer usage | DEHP-free | High accuracy | Wide flow rate range | Ease of use |



- 1.Protector cap
- 2.Vented spike
- 3.Air inlet
- 4.Air-eliminating filter
- 5.Drip chamber
- 6.Filter
- 7.PVC tubing(DEHP-free)ID 3mm, length 180cm
- 8.Rollar clamp
- 9.K-Nect needle-free access
- 10.PVC tubing(DEHP-free)ID 3mm, length 70cm
- 11.Luer lock
- 12.Stopflow cap

